SATELLITE-BASED STRATOSPHERIC AND TROPOSPHERIC MEASUREMENTS:

DETERMINATION OF GLOBAL OZONE AND OTHER TRACE SPECIES

NASA Grant NAG5-3461

Final Report

For the period 1 November 1996 through 31 December 2000

Principal Investigator:

K.V. Chance Smithsonian Astrophysical Observatory

April 2001

Prepared for National Aeronautics and Space Administration

> Smithsonian Institution Astrophysical Observatory Cambridge, Massachusetts 02138

The Smithsonian Astrophysical Observatory is a member of the Harvard-Smithsonian Center for Astrophysics

Final Report

NASA Grant NAG5-3461
Satellite-Based Stratospheric and Tropospheric Measurements:
Determination of Global Ozone and Other Trace Species

Principal Investigator:
Kelly Chance
Smithsonian Astrophysical Observatory
Cambridge, MA 02138

Introduction

This report summarizes research done under NASA Grant NAG5-3461 from November 1, 1996 through December 31, 2000. The research performed during this reporting period includes development and maintenance of scientific software for the GOME retrieval algorithms, consultation on operational software development for GOME, sensitivity and instrument studies to help finalize the definition of the SCIAMACHY instrument, leading the development of the SCIAMACHY Scientific Requirements Document for Data and Algorithm Development, consultation and development for SCIAMACHY near-real-time (NRT) and off-line (OL) data products, radiative transfer model development for utilization in GOME, SCIAMACHY and other programs, development of infrared line-by-line atmospheric modeling and retrieval capability for SCIAMACHY, and participation in GOME and SCIAMACHY validation studies. The Global Ozone Monitoring Experiment was successfully launched on the ERS-2 satellite on April 20, 1995, and remains working in normal fashion. SCIAMACHY is currently planned for launch in late 2001 on the ESA Envisat satellite. Three GOME-2 instruments are now scheduled to fly on the Metop series of operational meteorological satellites (Eumetsat). K. Chance is a member of the reconstituted GOME Scientific Advisory Group, which will guide the GOME-2 program as well as the continuing ERS-2 GOME program.

GOME

GOME is a European Space Agency Program, with scientific participation from European countries and, in the U.S., the SAO and the NASA Goddard Space Flight Center. The GOME Science Advisory Group (GSAG) includes K. Chance of the SAO as a U.S. member and head of the Data and Algorithm Subcommittee, and R. Spurr of the SAO as a U.S. member and organizer and chair of the GOME/GOME Scientific Working Sessions. SAO GOME studies include the following items:

- Development of scientific code for implementation as GOME operational retrieval algorithms.
- Guiding the development of GOME Level 0-1 and 1-2 operational software through extensive collaboration with the German Aerospace Center (DLR). SAO compiled and installed in the DLR GOME data processor a new snow and ice coverage data set (originating from NASA as used in TOMS work). In addition, we developed a tesselation algorithm for the production of representative mixed-scene albedos for GOME footprints. This is especially valuable for pixels with ocean/ice interfaces, where incorrect albedo choices can severely affect O₃ column and profile retrieval accuracy.
- Cloud studies, including investigation of fitting schemes and analysis of uncertainties due to various error sources, including line parameters of O₂. These resulted in production of the prototype operational algorithm for GOME cloud correction which has now been implemented in the Level 1 operational software.
- Collaboration on the development of DOAS operational procedures for GOME Level 1-2 processing to produce O₃, NO₂, and potentially other trace gas columns from GOME. This collaboration includes code development, measurement window selection, and a number of related issues. Development of direct of direct (i.e., non-DOAS, or BOAS) fitting to improved the precision of trace gas measurements. Collaboration with DLR in development of an operational processor for BrO. Implementation of the SBUV, and its testing for a variety of simulated GOME measurements. Collaboration in development of the GOMEtran finite difference forward model.
- Development of a linearized discrete ordinate radiative transfer code (LIDORT) for retrieval and forward model studies in inhomogeneous scattering atmospheres [Spurr et al., 2001]. In this work, the full multiple scatter backscatter intensity solution has been subject to an internal perturbation analysis, thus allowing the model to generate whole fields of weighting functions simultaneously. This is a vital requirement for non-linear iterative retrieval algorithms; the generic formalism of LIDORT enables it to be used in a

wide variety of remote sensing problems. Further developments include a model with the "pseudo-spherical" approximation wherein the direct beam attenuation is handled in a spherical atmosphere. The application of LIDORT to GOME and SCIAMACHY is direct and immediate. One of the most important uses will be for the performance enhancement of the ozone profile retrieval algorithm for both instruments. This goes a long way to the realization of operational O₃ profile retrieval algorithms. Work toward this goal has started in collaboration with DLR. LIDORT is also used in studies of tropospheric species from GOME, including HCHO and NO₂, to provide the scattering weights versus altitude which determine the relative source strength reflected in GOME measurements.

- Participation in GOME validation and scientific studies. Science studies include measurements of BrO, HCHO, NO₂, and height-resolved O₃. BrO from GOME has been implemented into the SOLVE mission database.
- Radiative transfer studies related to wavelength calibration and spatial and spectral aliasing, including collaboration with the DLR to implement an alternative wavelength calibration method based on cross-correlation with a Fraunhofer reference spectrum (see Caspar and Chance, 1997) and correction for most of the effects of spectral undersampling by GOME [Chance, 1998; Slijkhuis et al., 1999]. Our undersampling correction technique has now been adopted by the University of Bremen IFE and Belgian IASB groups for fitting GOME spectra. Determination of the solar reference spectrum has been improved by combining low-resolution information from UARS with high-resolution information as presented in Chance and Spurr, 1997; this is now used in improved wavelength calibration. This information has also now been supplied to the OMI program. Improvements in Ring effect modeling have been made through molecular physics studies employing the best currently available molecular data, development of an improved solar reference spectrum for wavelength-specific applications, and improved determination of the wavelength-dependent Rayleigh scattering cross section [Chance and Spurr, 1997].
- Spectroscopic and aerosol database development, including the production of an improved database of molecular parameters for the visible O₂ A band and improvements to O₃, NO₂, SO₂, BrO, and H₂CO reference spectra.
- Participation in the ESA cloud and aerosol ad hoc study group to produce cloud and aerosol data products from GOME. Development of the Cloud Retrieval Algorithm for GOME (CRAG) (mostly with DLR funding).
- Guiding and advising work on operational processor updates and reprocessing of GOME data. This includes, for example, the future use of the TOMS Version 7 ozone climatology in GOME data processing.

SCIAMACHY

SCIAMACHY is a joint German/Netherlands/Belgian program, with scientific participation from other European countries and, in the U.S., the SAO. SCIAMACHY is now scheduled for launch on Envisat in late 2001. SAO continues to participate actively in algorithm development for the level 0-1b and 1b-2 data processing segments, and in SCIAMACHY and other Envisat validation studies.

The SCIAMACHY Science Advisory Group (SSAG) includes K. Chance of the SAO as a U.S. member and head of the Subcommittee for Algorithm Development and Data Usage. J. Geary of the SAO as a U.S. member and advisor on instrument and detector issues, and R. Spurr of the SAO as a U.S. member and organizer and chair of the GOME/SCIAMACHY Scientific Working Sessions. SAO SCIAMACHY studies include the following items:

- Synthetic retrieval studies for atmospheric spectroscopy in the infrared to assess revised estimates of SCIAMACHY detector sensitivity.
- Finalization of the SCIAMACHY band definitions and detector selection criteria; synthetic retrieval studies for atmospheric spectroscopy in the infrared contributing to these definitions.
- Chairing the scientific working subgroup for Algorithm Development and Data Usage;
 Organizing and chairing the joint GOME/SCIAMACHY Scientific Working Sessions.
- Heading the development, compilation, and production of the Scientific Requirements Document for SCIAMACHY Data and Algorithm Development.
- Radiative transfer studies, including development of line-by-line modeling capability for
 the infrared and visible and ray tracing for the limb and occultation measurement geometries. The issue of properly combining limb and nadir measurements was addressed in
 conjunction with the development of the SCIAMACHY observational strategy and in the
 context of the Algorithm Development and Data Usage subgroup (includes DLR funding).
- Development of LIDORT (see GOME, above).
- Development of the Basic Infrared Absorption Spectroscopy (BIAS) technique for application to the SCIAMACHY infrared channels (includes DLR funding).
- Extension of GOME software development to SCIAMACHY. Existing GOME databases are extended in wavelength where appropriate to the near infrared. New line spectroscopic data sets were compiled for SCIAMACHY channels 7 and 8 (includes DLR funding).

- Participation in the definition of NRT and OL data products for SCIAMACHY, including
 close collaboration with the DLR in the generation of SCIAMACHY NRT specification
 documentation. Production and development of the SCIAMACHY Algorithm Theoretical Basis Document. Collaborate with DLR on the development of NRT SCIAMACHY
 Data Processors, including the provision of test data sets and upgrades to the algorithm
 descriptions required by industry (includes DLR funding).
- The development of software for the off-line level 1b to 2 processing segment for SCIA-MACHY limb measurements has been a major focus at SAO. To this end, a single scatter ray tracing forward model was written for the O₃ limb profile application, and combined with optimal estimation software to produce an end-to-end algorithm. Work continues on limb retrieval from infrared observations, including improved microwindow selection versus tangent height (includes DLR funding).
- Participation in the validation planning for SCIAMACHY.
- Determination of baseline choices and options for operational processing of SCIAMACHY
 measurements. This includes the selection criteria and the determination of which options
 can be pre-tested using GOME data.

Publications from this Research Program

- 1997 Quantitative Spectroscopy for the Analysis of GOME Data, K. Chance, Proceedings of the 3rd ERS-2 Symposium, "Space at the Service of Our Environment."
- 1997 GOME Wavelength Calibration using Solar and Atmospheric Spectra, C. Caspar and K. Chance, Proceedings of the 3rd ERS-2 Symposium, "Space at the Service of Our Environment."
- 1997 Development of a Prototype Algorithm for the Operational Retrieval of Height-resolved Products from GOME, R. Spurr, Proceedings of the 3rd ERS-2 Symposium, "Space at the Service of Our Environment."
- 1997 Ground Segment for ERS-2 GOME Data Processor, D. Loyola, B. Aberle, W. Balzer, K. Kretschel, E. Mikusch, H. Muehle, T. Ruppert, C. Schmid, S. Slijkhuis, R. Spurr, W. Thomas, T. Wieland, and M. Wolfmueller, Proceedings of the 3rd ERS-2 Symposium, "Space at the Service of Our Environment."

- 1997 GOME Data Processor: The First Operational DOAS-Based Algorithm Applied to Data from a Space-Borne Sensor, E. Hegels, B. Aberle, W. Balzer, K. Kretschel, D. Loyola, E. Mikusch, T. Ruppert, C. Schmid, S. Slijkhuis, R. Spurr, W. Thomas, T. Wieland, and M. Wolfmueller, Proc. EUROPTO-S.P.I.E. LASER '97, Spectroscopic Atmospheric Monitoring Techniques.
- 1997 GOMETRAN: A Radiative Transfer model for the Satellite Project GOME the Plane Parallel Version, V. Rozanov, D. Diebel, R. Spurr, and J. Burrows, *Journal of Geophysical Research* 102, 16,683-16,695.
- 1997 Satellite Measurements of Atmospheric Ozone Profiles, Including Tropospheric Ozone, from UV/Visible Measurements in the Nadir Geometry: A Potential Method to Retrieve Tropospheric Ozone, K. V. Chance, J. P. Burrows, D. Perner, and W. Schneider, Journal of Quantitative Spectroscopy and Radiative Transfer 57, 467-476.
- 1997 Improvement of the O₂ A Band Spectroscopic Database for Satellite-Based Cloud Detection, K. Chance, Journal of Quantitative Spectroscopy and Radiative Transfer, 58, 375-378.
- 1997 Ring Effect Studies: Rayleigh Scattering, Including Molecular Parameters for Rotational Raman Scattering, and the Fraunhofer Spectrum, K. Chance and R.J.D. Spurr, *Applied Optics* 36, 5224-5230.
- 1998 Detection of Biomass Burning Combustion Products in Southeast Asia from Backscatter Data Taken by the GOME Spectrometer, W. Thomas, E. Hegels, S. Slijkhuis, R. Spurr, and K. Chance, *Geophysical Research Letters* 25, 1317-1320.
- 1998 The HITRAN Molecular Spectroscopic Database and HAWKS (HITRAN Atmospheric Workstation): 1996 Edition, L.S. Rothman, C.P. Rinsland, A. Goldman, S.T. Massie, D.P. Edwards, J.-M. Flaud, A. Perrin, C. Camy-Peyret, V. Dana, J.-Y. Mandin, J. Schroeder, A. McCann, R.R. Gamache, R.B. Wattson, K. Yoshino, K.V. Chance, K.W. Jucks, L.R. Brown, V. Nemtchinov, and P. Varanasi, Journal of Quantitative Spectroscopy and Radiative Transfer 60, 665-710.
- 1998 Analysis of BrO Measurements from the Global Ozone Monitoring Experiment, K. Chance, Geophysical Research Letters 25, 3335-3338.
- 1998 The SCIAMACHY Instrument on ENVISAT-1, S. Noel, H. Bovensmann, J.P. Burrows, J. Frerick, K.V. Chance, A.P.H. Goede and C. Muller, *Proc. S.P.I.E.*, Sensors, Systems, and Next-Generation Satellites II, 3498 94-104.
- 1998 Atmospheric Trace Gas Measurements with SCIAMACHY, S. Noël, J.P. Burrows, H. Bovensmann, J. Frerick, K.V. Chance, and A.H.P. Goede, 32nd COSPAR Scientific Assembly.

- 1998 Atmospheric Trace Gas Measurements from the European Space Agency's Global Ozone Monitoring Experiment, K. Chance, R.J.D. Spurr, and T.P. Kurosu, *Proc. S.P.I.E.*, Satellite Remote Sensing of Clouds and the Atmosphere III, 3495 230-234.
- 1998 Cloud Retrieval Algorithm for the European Space Agency's Global Ozone Monitoring Experiment, T.P. Kurosu, K.V. Chance, and R.J.D. Spurr, Proc. S.P.I.E., Satellite Remote Sensing of Clouds and the Atmosphere III, 3495 17-26.
- 1999 Ozone Profiles and Tropospheric Ozone Determinations from the European Space Agency's Global Ozone Monitoring Experiment, K. Chance, *IEEE International Geoscience and Remote Sensing Symposium*.
- 1999 Atmospheric Trace Gas Measurements from GOME and SCIAMACHY, K. Chance, R.J.D. Spurr, and T.P. Kurosu, Proc. ESAMS'99 European Symposium on Atmospheric Measurements from Space, 403-406.
- 1999 CRAG Cloud Retrieval Algorithm for the European Space Agency's Global Ozone Monitoring Experiment, T.P. Kurosu, K. Chance, and R.J.D. Spurr, *Proc. ESAMS'99 European Symposium on Atmospheric Measurements from Space*, 513-521.
- 1999 Development of a Bromine Oxide Product from GOME, M. van Roozendael, C. Fayt, J.-C. Lambert, I. Pundt, T. Wagner, A. Richter, and K. Chance, *Proc. ESAMS'99 European Symposium on Atmospheric Measurements from Space*, 543-547.
- 1999 Calculation of Undersampling Correction Spectra for DOAS Spectral Fitting, S. Slijkhuis, A. von Bargen, W. Thomas, and K. Chance, Proc. ESAMS'99 European Symposium on Atmospheric Measurements from Space, 563-569.
- 1999 SCIAMACHY: Mission Objectives and Measurement Modes H. Bovensmann, J.P. Burrows, M. Buchwitz, J. Frerick, S. Noël, V.V. Rozanov, K.V. Chance, and A.P.H. Goede, *Journal of the Atmospheric Sciences* 56, 127-150.
- 1999 UV Spectral Data for HITRAN 2000, K. Chance, T.P. Kurosu, K. Yoshino, W. Parkinson, L.S. Rothman, A.Goldman, and J. Orphal, 5th Atmospheric Spectroscopy Applications Meeting.
- 1999 Global Atmospheric Monitoring with SCIAMACHY, S. Noël, H. Bovensmann, J.P. Burrows, J. Frerick, K.V. Chance, and A.P.H. Goede, *Physics and Chemistry of the Earth 24*, 427-434.
- 2000 A Linearized Discrete Ordinate Radiative Transfer Model for Atmospheric Remote Sensing Retrieval, R.J.D. Spurr, T.P. Kurosu, and K.V. Chance, Journal of Quantitative Spectroscopy and Radiative Transfer 68, 689-735.

- 2000 Satellite Observations of Formaldehyde over North America from GOME, K. Chance, P.I. Palmer, R.J.D. Spurr, R.V. Martin, T.P. Kurosu, and D.J. Jacob, *Geophysical Research Letters* 27, 3461-3464.
- 2001 Air Mass Factor Formulation for Spectroscopic Measurements from Satellites: Application to Formaldehyde Retrievals from GOME, P.I. Palmer, D.J. Jacob, K. Chance, R.V. Martin, R.J.D. Spurr, T.P. Kurosu, I. Bey, R. Yantosca, A. Fiore, and Q. Li, *Journal of Geophysical Research*, in press.